


Silk Formakami Pendant Light

COZYEAZY.COM

SUPPORT@COZYEAZY.COM





DESCRIPTION


The Silk Formakami Pendant Light is a modern interpretation of the classic Asian paper lantern. Its white shade highlights the brightness of silk, while the open bottom maximizes light output. Handcrafted with a black oak ring, this playful design combines various circular shapes to create three unique pendant lights. Illuminate your home with both literal and symbolic significance.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKP05-240505-01
Fixture Dimensions	D 17.7" x H 25.6"
Light source	E27 or E26. (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Black.
Shade Details	White.
Material	Metal, Silk.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION


The Silk Formakami Pendant Light is a modern interpretation of the classic Asian paper lantern. Its white shade highlights the brightness of silk, while the open bottom maximizes light output. Handcrafted with a black oak ring, this playful design combines various circular shapes to create three unique pendant lights. Illuminate your home with both literal and symbolic significance.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKP05-240505-01
Fixture Dimensions	D 17.7" x H 25.6"
Light source	E27 or E26. (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Black.
Shade Details	White.
Material	Metal, Silk.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION


The Silk Formakami Pendant Light is a modern interpretation of the classic Asian paper lantern. Its white shade highlights the brightness of silk, while the open bottom maximizes light output. Handcrafted with a black oak ring, this playful design combines various circular shapes to create three unique pendant lights. Illuminate your home with both literal and symbolic significance.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKP05-240505-02
Fixture Dimensions	D 19.7" x H 18.9"
Light source	E27 or E26. (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Black.
Shade Details	White.
Material	Metal, Silk.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION

The Silk Formakami Pendant Light is a modern interpretation of the classic Asian paper lantern. Its white shade highlights the brightness of silk, while the open bottom maximizes light output. Handcrafted with a black oak ring, this playful design combines various circular shapes to create three unique pendant lights. Illuminate your home with both literal and symbolic significance.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKP05-240505-03
Fixture Dimensions	D 21.7" x H 22.8"
Light source	E27 or E26. (bulb not included)
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Black.
Shade Details	White.
Material	Metal, Silk.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.

