


Ling P1 LED Pendant Light

COZYEAZY.COM

SUPPORT@COZYEAZY.COM






DESCRIPTION

The Ling P1 LED Pendant is inspired by early metal fences in Taiwan surrounding balconies and windows. The metal structure is reminiscent of art deco design through the geometric shape. The shade, constructed from frosted glass and steel, can be adjusted through the left and right tilt for you to position the beam of light wherever desired. but can still be rotated on whichever side you prefer. The Horizontal variation is a wider framed structure and the Vertical is the narrower structure.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	Horizontal D 7.1" x H 4.3"
Light source	Integrated LED
Wattage	Top 1W bottom 5W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Gold+White, Copper+Black
Shade Details	White, Clear
Material	Metal, Iron, Acrylic
Wire Length	78.7"
Wire Type	Black Coaxial Wire
Warranty	2 Yaers




DESCRIPTION

The Ling P1 LED Pendant is inspired by early metal fences in Taiwan surrounding balconies and windows. The metal structure is reminiscent of art deco design through the geometric shape. The shade, constructed from frosted glass and steel, can be adjusted through the left and right tilt for you to position the beam of light wherever desired. but can still be rotated on whichever side you prefer. The Horizontal variation is a wider framed structure and the Vertical is the narrower structure.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	Vertical D 5.9" x H 7.1"
Light source	Integrated LED
Wattage	Top 1W bottom 5W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Gold+White, Copper+Black
Shade Details	White, Clear
Material	Metal, Iron, Acrylic
Wire Length	78.7"
Wire Type	Black Coaxial Wire
Warranty	2 Yaers




DESCRIPTION

The Ling P1 LED Pendant is inspired by early metal fences in Taiwan surrounding balconies and windows. The metal structure is reminiscent of art deco design through the geometric shape. The shade, constructed from frosted glass and steel, can be adjusted through the left and right tilt for you to position the beam of light wherever desired. but can still be rotated on whichever side you prefer. The Horizontal variation is a wider framed structure and the Vertical is the narrower structure.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	3heads D 26.8" x H 7.1"
Light source	Integrated LED
Wattage	Top 1W bottom 5W (Single light)
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Gold+White, Copper+Black
Shade Details	White, Clear
Material	Metal, Iron, Acrylic
Wire Length	78.7"
Wire Type	Black Coaxial Wire
Warranty	2 Yaers




DESCRIPTION

The Ling P1 LED Pendant is inspired by early metal fences in Taiwan surrounding balconies and windows. The metal structure is reminiscent of art deco design through the geometric shape. The shade, constructed from frosted glass and steel, can be adjusted through the left and right tilt for you to position the beam of light wherever desired. but can still be rotated on whichever side you prefer. The Horizontal variation is a wider framed structure and the Vertical is the narrower structure.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	4heads D 35.4" x H 7.1"
Light source	Integrated LED
Wattage	Top 1W bottom 5W (Single light)
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Gold+White, Copper+Black
Shade Details	White, Clear
Material	Metal, Iron, Acrylic
Wire Length	78.7"
Wire Type	Black Coaxial Wire
Warranty	2 Yaers




DESCRIPTION

The Ling P1 LED Pendant is inspired by early metal fences in Taiwan surrounding balconies and windows. The metal structure is reminiscent of art deco design through the geometric shape. The shade, constructed from frosted glass and steel, can be adjusted through the left and right tilt for you to position the beam of light wherever desired. but can still be rotated on whichever side you prefer. The Horizontal variation is a wider framed structure and the Vertical is the narrower structure.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	5heads D 43.3" x H 7.1"
Light source	Integrated LED
Wattage	Top 1W bottom 5W (Single light)
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Gold+White, Copper+Black
Shade Details	White, Clear
Material	Metal, Iron, Acrylic
Wire Length	78.7"
Wire Type	Black Coaxial Wire
Warranty	2 Yaers



DESCRIPTION

The Ling P1 LED Pendant is inspired by early metal fences in Taiwan surrounding balconies and windows. The metal structure is reminiscent of art deco design through the geometric shape. The shade, constructed from frosted glass and steel, can be adjusted through the left and right tilt for you to position the beam of light wherever desired. but can still be rotated on whichever side you prefer. The Horizontal variation is a wider framed structure and the Vertical is the narrower structure.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	6heads D 53.2" x H 7.1"
Light source	Integrated LED
Wattage	Top 1W bottom 5W (Single light)
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Gold+White, Copper+Black
Shade Details	White, Clear
Material	Metal, Iron, Acrylic
Wire Length	78.7"
Wire Type	Black Coaxial Wire
Warranty	2 Yaers