






DESCRIPTION


The contradictory balance of movement and non-representational light and shadow imagination, the simple shape, the light and shadow changing at different angles, and the swing of the shadow are better than a beautiful shadow mural.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKW-090414-01
Fixture Dimmensions	D 4.1" x H 13" Wall distance: H 3.1"
Light source	Integrated LED
Wattage	~8 Watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Chrome
Shade Details	Black
Material	Stainless steel, Aluminum
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION

The contradictory balance of movement and non-representational light and shadow imagination, the simple shape, the light and shadow changing at different angles, and the swing of the shadow are better than a beautiful shadow mural.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VKW-090414-01
Fixture Dimensions	D 4.1" x H 16.9" Wall distance: H 3.9"
Light source	Integrated LED
Wattage	~8 Watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Chrome
Shade Details	Black
Material	Stainless steel, Aluminum
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.

