


Petal Halo Chandelier

COZYEAZY.COM

SUPPORT@COZYEAZY.COM





DESCRIPTION

The Petal Halo Chandelier is adorned with delicate glass petals arranged in a circular formation. This design captures the beauty of blooming flowers, with each petal reflecting light in a graceful manner. It's a perfect centerpiece for dining rooms or living areas, adding a floral elegance to the space.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC5-240720-01
Fixture Dimensions	D 15.7" x H 5.9"
Light source	Integrated LED
Wattage	Single lamp power ~5 watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	50000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Brass.
Shade Details	Clear.
Material	Brass, Glass.

Certification UL, CE, CCC, ETL, SAA.





DESCRIPTION

The Petal Halo Chandelier is adorned with delicate glass petals arranged in a circular formation. This design captures the beauty of blooming flowers, with each petal reflecting light in a graceful manner. It's a perfect centerpiece for dining rooms or living areas, adding a floral elegance to the space.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC5-240720-02
Fixture Dimmensions	D 23.6" x H 5.9"
Light source	Integrated LED
Wattage	Single lamp power ~5 watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	50000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Brass.
Shade Details	Clear.
Material	Brass, Glass.

Certification UL, CE, CCC, ETL, SAA.





DESCRIPTION

The Petal Halo Chandelier is adorned with delicate glass petals arranged in a circular formation. This design captures the beauty of blooming flowers, with each petal reflecting light in a graceful manner. It's a perfect centerpiece for dining rooms or living areas, adding a floral elegance to the space.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC5-240720-03
Fixture Dimmensions	D 31.5" x H 5.9"
Light source	Integrated LED
Wattage	Single lamp power ~5 watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	50000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Brass.
Shade Details	Clear.
Material	Brass, Glass.

Certification UL, CE, CCC, ETL, SAA.





DESCRIPTION

The Petal Halo Chandelier is adorned with delicate glass petals arranged in a circular formation. This design captures the beauty of blooming flowers, with each petal reflecting light in a graceful manner. It's a perfect centerpiece for dining rooms or living areas, adding a floral elegance to the space.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC5-240720-04
Fixture Dimensions	L 39.4" x W 3.9" x H 5.9"
Light source	Integrated LED
Wattage	Single lamp power ~5 watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	50000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Brass.
Shade Details	Clear.
Material	Brass, Glass.

Certification UL, CE, CCC, ETL, SAA.





DESCRIPTION

The Petal Halo Chandelier is adorned with delicate glass petals arranged in a circular formation. This design captures the beauty of blooming flowers, with each petal reflecting light in a graceful manner. It's a perfect centerpiece for dining rooms or living areas, adding a floral elegance to the space.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VKC5-240720-05
Fixture Dimensions	L 47.2" x W 3.9" x H 5.9"
Light source	Integrated LED
Wattage	Single lamp power ~5 watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	50000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Brass.
Shade Details	Clear.
Material	Brass, Glass.

Certification UL, CE, CCC, ETL, SAA.

