


Embedded Bedside Sconce

COZYEAZY.COM

SUPPORT@COZYEAZY.COM





DESCRIPTION


This LED bedside reading light has an adjustable head and body allowing you to choose where the light is placed. This enables you to have the light on for late-night reading knowing you will not interfere with your bedmate. Also great for use in studies or the modern room.

Takes little space as when closed it sits flush with the wall. It can be mounted either way up. One of the main features of this fitting is that fitting acts as a switch – the lamp instantly turns on when you pull it out from its flush position and turns off when pushed back.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	ML-517-1
Fixture Dimmensions	D 2" x H 6"
Light source	Integrated LED
Wattage	~5 Watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Hidden switch or push-button switch.
Finishes	Matt Black, Matt Black & Copper, Copper, Nickel.
Shade Details	Clear.
Material	Aluminum alloy, Metal.



DESCRIPTION


This LED bedside reading light has an adjustable head and body allowing you to choose where the light is placed. This enables you to have the light on for late-night reading knowing you will not interfere with your bedmate. Also great for use in studies or the modern room.

Takes little space as when closed it sits flush with the wall. It can be mounted either way up. One of the main features of this fitting is that fitting acts as a switch – the lamp instantly turns on when you pull it out from its flush position and turns off when pushed back.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	ML-517-1
Fixture Dimensions	D 2" x H 6"
Light source	Integrated LED
Wattage	~5 Watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Hidden switch or push-button switch.
Finishes	Matt Black, Matt Black & Copper, Copper, Nickel.
Shade Details	Clear.
Material	Aluminum alloy, Metal.



DESCRIPTION


This LED bedside reading light has an adjustable head and body allowing you to choose where the light is placed. This enables you to have the light on for late-night reading knowing you will not interfere with your bedmate. Also great for use in studies or the modern room.

Takes little space as when closed it sits flush with the wall. It can be mounted either way up. One of the main features of this fitting is that fitting acts as a switch – the lamp instantly turns on when you pull it out from its flush position and turns off when pushed back.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	ML-517-1
Fixture Dimmensions	D 2" x H 7"
Light source	Integrated LED
Wattage	~5 Watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Hidden switch or push-button switch.
Finishes	Matt Black, Matt Black & Copper, Copper, Nickel.
Shade Details	Clear.
Material	Aluminum alloy, Metal.



DESCRIPTION

This LED bedside reading light has an adjustable head and body allowing you to choose where the light is placed. This enables you to have the light on for late-night reading knowing you will not interfere with your bedmate. Also great for use in studies or the modern room.

Takes little space as when closed it sits flush with the wall. It can be mounted either way up. One of the main features of this fitting is that fitting acts as a switch – the lamp instantly turns on when you pull it out from its flush position and turns off when pushed back.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	ML-517-1
Fixture Dimmensions	D 2" x H 7"
Light source	Integrated LED
Wattage	~5 Watts
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Hidden switch or push-button switch.
Finishes	Matt Black, Matt Black & Copper, Copper, Nickel.
Shade Details	Clear.
Material	Aluminum alloy, Metal.